



# PURCHASE ORDER

## County of Spotsylvania

### Procurement Division

8800 Courthouse Road (P.O. Box 215)

Spotsylvania, VA 22553

Ph. 540/507-7586 Fax 540/582-6304

PURSUANT TO  
VIRGINIA CODE §2.2-4343.1,  
SPOTSYLVANIA COUNTY DOES  
NOT DISCRIMINATE AGAINST  
FAITH-BASED ORGANIZATIONS

#### P.O. Number 18087

P.O. number must appear on all related correspondence, shipping papers, and invoices:

To: National Auto Fleet Group  
490 Auto Center Drive  
Watsonville, CA 95076

Ship To: Spotsylvania County Joint Fleet  
6921 North Roxbury Mill Road  
Spotsylvania, VA 22551

Attn: Jesse Cooper

Attn: Craig Greenlaw

P.O. DATE		SHIP VIA	F.O.B. POINT	TERMS	
March 13, 2018				Destination	Net 30 Days
QTY	UNIT	ITEM NUMBER AND DESCRIPTION		UNIT PRICE	TOTAL
1	EA	New 2019 Model Year Kenworth T-370 Chassis with Godwin 14' Dump & Lift Axle as per National Auto Fleet Group Quote ID 5044 Revised dated January 29, 2018		\$83,961.00	\$83,961.00
1	EA			Chassis Upfit	\$24,143.00
Contract documents consist of:					
1. Spotsylvania County Purchase Order #18087 dated March 13, 2018, and Spotsylvania County Purchase Order General Terms and Conditions dated January 19, 2018;					
2. National Auto Fleet Group Quote ID #5044 Revised dated January 29, 2018;					
3. National Joint Powers Alliance Contract Acceptance & Award with National Auto Fleet Group dated November 15, 2016;					
4. National Joint Powers Alliance Request for Proposal for Class 6,7, and 8 Chassis with Related Equipment, Accessories, and Services RFP #081716.					
				TOTAL	\$108,104.00

If there are any questions concerning this purchase order, please contact Ms. Donna Beasley – Spotsylvania County Procurement Department. Ph. 540/507-7586; Fax: 540/582-6304

1. Please send one copy of your invoice.
2. In accordance with the prices, terms, delivery method, and specifications, including warranties, pursuant to any IFB and bid documents, or referenced Terms & Conditions delineated above.
3. Delivery constitutes acceptance of all terms and conditions.
4. Please notify us immediately if you are unable to ship as specified.
5. Send all invoices to:  
County of Spotsylvania FREM  
P.O. Box 818  
Spotsylvania, VA 22553
6. Pursuant to Virginia Code §2.2-4311.1, seller warrants that during the performance of this contract, it will not employ unauthorized alien workers, as defined by the Immigration Reform and Control Act of 1986.

#### FOR OFFICIAL USE ONLY

Requisitioning Department: Utilities

Requisitioner: Roddie Acors

Mark B. Taylor  
County Administrator

*Shelia J. Weiner* 2-8-2018  
County Attorney

This standard Purchase Order form has been previously APPROVED AS TO FORM by the Office of the Spotsylvania County Attorney for small purchases. Any deviations from the County's customary form must be reviewed and approved by the County Attorney.



## SPOTSYLVANIA COUNTY PURCHASE ORDER GENERAL TERMS AND CONDITIONS

1. All prices unless otherwise specified are F.O.B. Destination with transportation charges prepaid.
2. If shipment is made by freight or express and charges added to invoice, the original bill of lading properly receipted shall accompany invoice. All charges must be prepaid.
3. Deliveries against this order must be free of excise, transportation, or state sales taxes. State sales and use tax certificate of exemption form will be issued upon request.
4. Purchase Order number shall be shown by Contractor on all related invoices, delivery memoranda, bills of lading, packages and/or correspondence.
5. Invoice terms are Net 30 days.
6. The CONTRACTOR providing services to the County under this Purchase Order Agreement represents and warrants to the County that it is:
  - A. Conforming to the provisions of the Civil Rights Act of 1964, as amended, as well as the Virginians With Disabilities Act, the Americans With Disabilities Act and Section 2.2-4311 of the Virginia Public Procurement Act, and where applicable, to the Virginia Fair Employment Contracting Act of 1975, as amended, and the Virginia Human Rights Act, as amended.
  - B. Not employing illegal alien workers or otherwise violating the provisions of the Immigration Reform and Control Act of 1986 and Virginia Code§ 2.2-4311.1;
  - C. Complying with federal, state and local laws and regulations applicable to the performance of the goods and services procured, the work performed pursuant to the Agreement shall conform to all professional principles generally accepted as standards of the industry in the Commonwealth, the CONTRACTOR'S work performed shall be free of defects, and any new materials and equipment furnished under this Agreement shall be of good quality and in working condition; and
  - D. In full compliance with the Virginia Conflict of Interest Act.
7. CONTRACTOR'S performing work for the County shall maintain at a minimum, the following insurance coverage, if the work is performed by any type of corporation, partnership, or licensed business. An Automobile liability policy may be under a personal policy for a sole proprietor.

MINIMUM INSURANCE COVERAGES AND LIMITS REQUIRED:

  - A. Worker's Compensation – Statutory requirements and benefits
  - B. Employers Liability - \$100,000
  - C. Commercial General Liability - \$1,000,000 Combined Single Limit Bodily Injury and Property Damage Each Occurrence. These coverages are to include Products/Completed Operations, Personal & Advertising Injury, and Independent Contractor's Liability
  - D. Automobile Liability \$1,000,000.
  - E. Professional Liability, if required, under Professional Services.

The County, Board of Supervisors and employees, shall be named as additional insured on Auto and General liability Policies. The County reserves the right to require the Contractor to provide evidence of required insurance coverage.
8. During the performance of this Agreement, CONTRACTOR agrees that:
  - A. It will not discriminate against any employee or applicant for employment because of race, religion, color, sex, national origin, age, disability, or any other basis prohibited by state law relating to discrimination in employment, except where there is a bona fide occupational qualification reasonably necessary to the normal operation of the Contractor; that it will post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause; and that it will state, in all solicitations or advertisements for employees placed by or on behalf of the Contractor that such Contractor is an equal opportunity employer. Notices, advertisements and solicitations placed in accordance with federal law, rule or regulation shall be deemed sufficient to meet this requirement; and
  - B. It will include the provisions of the foregoing paragraph in every subcontract or purchase order of over \$10,000.00, so that the provisions will be binding upon each sub-CONTRACTOR or CONTRACTOR.



9. During the performance of this Agreement, the CONTRACTOR agrees to:
  - A. Provide a drug-free workplace for the CONTRACTOR'S employees; and comply with the Federal Drug Free Workplace Act.
  - B. Post in conspicuous places, available to employees and applicants for employment, a statement notifying employees that the unlawful manufacture, sale, distribution, dispensation, possession, or use of a controlled substance or marijuana is prohibited in the CONTRACTOR'S workplace and specifying the actions that will be taken against employees for violations of such prohibition;
  - C. State in all solicitations or advertisements for employees placed by or on behalf of the CONTRACTOR that the CONTRACTOR maintains a drug-free workplace; and
  - D. Include the provisions of the foregoing clauses in every subcontract or purchase order of over \$10,000, so that the provisions will be binding upon each SUBCONTRACTOR or CONTRACTOR.
  - E. For the purposes of this section, "drug-free workplace" means any site at which the performance of work is done in connection with this contract awarded to the CONTRACTOR, the employees of whom are prohibited from engaging in the unlawful manufacture, sale, distribution, dispensation, possession or use of any controlled substance or marijuana during the performance of the contract.
10. The parties agree that this Agreement is governed by and shall be interpreted in accordance with the laws of the Commonwealth of Virginia, and that proper venue, in the event of litigation concerning this matter, shall be in the Circuit Court of Spotsylvania County, Virginia. The parties agree that any litigation involving this Agreement shall be brought only in such court. In the event of any action brought by either party against the other to enforce any of the obligations hereunder or arising out of any dispute concerning the terms and conditions hereby created, each party shall pay their own attorney's fees, costs and expenses.
11. Pursuant to Section 2.2-4354 of the Code of Virginia, (1950, as amended), the CONTRACTOR covenants and agrees to:
  - A. Within seven (7) days after receipt of any amounts paid to the CONTRACTOR under the Agreement, (i) pay any subcontractor for its proportionate share of the total payment received from the COUNTY attributable to the work under the Contract performed by such subcontractor, or (ii) notify the COUNTY and the subcontractor, in writing, of its intention to withheld all or part of the subcontractor's payment and the reason therefore;
  - B. Provide its federal employer identification number or social security number, as applicable, before any payment is made to the CONTRACTOR under the Agreement;
  - C. Pay interest at the legal rate or such other rate as may be agreed to in writing by the subcontractor and the CONTRACTOR on all amounts owed by the CONTRACTOR that remain unpaid after seven (7) days following receipt by the CONTRACTOR of payment from the COUNTY for work performed by the subcontractor under the Agreement; and
  - D. Include in its contracts with any and all subcontractors the requirements of 1, 2, and 3 above.
12. CONTRACTOR shall indemnify, defend and hold harmless the COUNTY and its representatives from any and all claims, suits and actions for injury or damage sustained by any person or property from any act or omission by CONTRACTOR and/or its CONTRACTORS or employees, or anyone else for whom CONTRACTOR is or may be responsible. This section shall survive the termination of this Agreement.
13. Spotsylvania County reserves its rights of ownership to all material given to the Contractor by Spotsylvania County and to all background information, documents, and computer software and documentation developed by the Contractor in performing any Contract resulting from this procurement.
14. Spotsylvania County shall have the right to terminate at Spotsylvania County's convenience, with or without cause, any contract resulting from this Purchase Order by specifying the date of termination in a written notice. In this event, the Contractor shall be entitled to just and equitable compensation for any authorized satisfactory work done or any items/materials accepted by Spotsylvania County.
15. CONTRACTOR acknowledges that the Spotsylvania County Procurement Policy is applicable to this Agreement. The Spotsylvania County Procurement Policy governing this Agreement may be accessed at:  
<http://www.spotsylvania.va.us/content/20925/20963/21966/20995/23291/default.aspx>



# National Auto Fleet Group

A Division of Chevrolet of Watsonville

490 Auto Center Drive, Watsonville, CA 95076  
(855) 289-6572 • (855) BUY-NJPA • (831) 480-8497 Fax  
Fleet@NationalAutoFleetGroup.com

---

01/29/2018

Quote ID 5044 REVISED

Mr. Roddie Acors

Spotsylvania County Utility  
600 Hudgins Road  
Fredericksburg, VA 22408

Dear Mr. Acors,

National Auto Fleet Group is pleased to quote the following vehicle(s) for your consideration.  
**One (1) New/Unused (2019 Kenworth T-370 Chassis with Godwin 14' Dump & Lift Axle)**  
Provided by Mr. Stollings with Kenworth each for:

	One Unit (1)
Chassis Total	\$ 83,961.00
Upfit	\$ 24,143.00
Tax (0.00%)	\$ 00.00
Total	\$ 108,104.00

This vehicle(s) is available under the **National Joint Powers Alliance Contract 081716-NAF**.  
Please reference this Bid Number on all Purchase Orders.

Thank you in advance for your consideration. Should you have any questions, please do not hesitate to call.

Sincerely,

Jesse Cooper  
National Fleet Manager  
[jcooper@Nationalautofleetgroup.com](mailto:jcooper@Nationalautofleetgroup.com)  
Office (855) 289-6572  
Fax (831) 480-8497





3416 Sylvester Road  
Albany, GA 31705  
Tel (229) 435-0254 or 800-672-0689  
Transportequip@mchsi.com

## QUOTATION

To: Worldwide Equipment of Ohio  
6614 Wilbanks Road  
Knoxville, TN 37912

Attn: Craig Stollings  
Phone # 276-608-6973  
Fax # \_\_\_\_\_  
E-mail: craig.stollings@thetruckpeople.com

Invoice # \_\_\_\_\_ Date: \_\_\_\_\_  
Order # \_\_\_\_\_ Date: \_\_\_\_\_  
Proposal Date: 1/19/2018  
Scheduled Delivery Date: \_\_\_\_\_  
Customer P.O. # \_\_\_\_\_  
Terms: Net 10 Days

Make KW Model T370 VIN# \_\_\_\_\_ Hoist # \_\_\_\_\_  
PTO Hot Shift WB \_\_\_\_\_ CA \_\_\_\_\_ Trans. Allison

We reserve the right to correct any error in price or specification. Prices and specifications subject to change without notice.

Body Type Godwin 400T Dump Body

Length 14' Width 96" Height 7 / 8 Yard Capacity

Flooring:	<u>3/16" Smooth Steel Grade 50</u>	<u>1/2 Cab Shield</u>
Sides:	<u>23" 10 GA Hi-tensile</u>	<u>7" Structural Channel Long-sills</u>
Bumper:	<u>6" Side Board Pockets</u>	<u>4" Structural Channel Cross-sills on 12" Ctrs</u>
Lights:	<u>Federal Spec's #108</u>	<u>HD Electric Tarp Assy w/HD Black Mesh Tarp</u>
Tailights:	<u>Come on Chassis</u>	<u>HD Duty Aluminum Tarp Arms</u>
Paint:	<u>White</u>	<u>Ridewell 20,000# Non Steerable Liftaxle</u>
Mud Flaps:	<u>Anti-Sail</u>	<u>4 - 295/75R22.5 Tires &amp; Steel Wheels</u>
Hoist:	<u>G63120 - G102</u>	<u>25 Ton Spring Loaded Pintle Hook</u>
	<u>Hot Shift PTO</u>	<u>7 - Blade Electric Plug</u>
	<u>Air Shift Pump</u>	<u>Extend Air Lines to Hitch</u>
	<u>Console Controls</u>	<u>(Requires Factory Tractor Package)</u>
Tailgate:	<u>Air Operated - 29" High</u>	<u>Backup Alarm</u>
	<u>Spreader Chains</u>	<u>F.O.B. Chattanooga TN</u>
	<u>8" 1/4" Steel w/Schedule</u>	
	<u>80 Pipe Push Bar</u>	

Option: 3 - Way Gate Add \$815.00

Body: \$16,957.00  
Pintle Hook: \$698.00  
Liftaxle: \$6,488.00  
Invoice Total: \$24,143.00

David Dowdy





Worldwide Equipment B325  
Craig Stollings Municipal  
18285 Lee Highway

Spotsylvania County Utility  
600 Hudgins Rd.

Abingdon, Virginia United States 24210  
Phone: (276) 628-8103  
Fax: (276) 628-5863  
Email: craig.stollings@thetruckpeople.com

Fredericksburg, Virginia United States 22408  
Phone: (540) 507-7322  
Fax:  
Contact Email: racors@spotsylvania.va.us  
Prepared for: Roddie Acors

## Vehicle Summary

Unit		Chassis	
Model:	T370 SERIES	Fr Axle Load (lbs):	12000
	CONVENTIONAL	Rr Axle Load (lbs)	23000
Type:	FULL TRUCK	G.C.W. (lbs):	45000
Description:	T370 dump S/A 14'	Road Conditions:	
Application		Class A (Highway)	90
Intended Serv.:	Local pickup & delivery.	Class B (Hwy/Mtn)	10
	Vehicles which haul	Class C (Off-Hwy)	00
Commodity:	Excavated earth	Class D (Off-Road)	00
Body		Maximum Grade:	6
Type:	Flatbed	Wheelbase (in):	188
Length (ft):	14.0	Overhang (in):	71
Height (ft):	12.0	Fr Axle to BOC (in):	68
Max Laden Weight (lbs):	4000	Cab to Axle (in):	120
Trailer		Cab to EOF (in):	191
No. of Trailer Axles:	0	Overall Comb. Length (in):	300
Type:		Special Req.	
Length (ft):	0.0	U.S. Domestic Registry, 50-State	
Height (ft):	0.0		
Kingpin Inset (in):	0		
Corner Radius (in):	0		
Restrictions			
Length (ft):	120		
Width (in):	102		
Height (ft):	13.5		

Approved by: \_\_\_\_\_

Date: \_\_\_\_\_

**Note: All sales are F.O.B. designated plant of manufacture.**



Ask your dealer for a quote today, or visit our website @ [www.paccarfinancial.com](http://www.paccarfinancial.com).

PACCAR Financial offers innovative finance, lease and insurance programs customized to meet your needs.

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 1/29/2018 12:35:57 PM  
Effective Date: Jan 1, 2018  
Prepared by: ID: craigstollings

**Incomplete**

Model Number: T370 SERIES CONVENTIONAL  
Quote/DTPO/CO: Q63532423  
Version Number: 41.10



Worldwide Equipment B325  
Craig Stollings Municipal  
18285 Lee Highway

Spotsylvania County Utility  
600 Hudgins Rd.

Abingdon, Virginia United States 24210  
Phone: (276) 628-8103  
Fax: (276) 628-5863  
Email: craig.stollings@thetruckpeople.com

Fredericksburg, Virginia United States 22408  
Phone: (540) 507-7322  
Fax:  
Contact Email: racors@spotsylvania.va.us  
Prepared for: Roddie Acors

Model	Description	Weight
	<b>T370 SERIES CONVENTIONAL</b>	9,642
	Electric Door locks LH/RH; Ignition & doors keyed alike; Single electric horn; Single-piece windshield; Electric windshield wipers, 2-speed plus intermittent; Electric windshield washers; Steering wheel 18in. 4-spoke; Glovebox door with locking latch; Dash-mounted cruise control with switches; Turn signal switch with column-mounted dimmer; Standard dash panels include gray w/ burl wood accents; Slate Gray interior primary color; Dark Slate Gray seat color; Floor mat; Inside sunvisor, LH/RH; Door courtesy lights; Under-dash center console with 1 cup holder, 1 ashtray & 1 lighter.	
	<b>T370 Class 7: medium-duty Conventional.</b>	0
	<b>Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.</b>	0
	<b>Medium-duty 4x2 automatic.</b>	0
	<b>Excavated earth</b>	0
	<b>Local pickup &amp; delivery. Vehicles which haul freight, typically operating within a 100-mile radius, on public streets &amp; highways, &amp; other paved surfaces, including limited Class C roads. Includes package &amp; freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.</b>	0
	<b>Flatbed</b>	0
	<b>U.S. Domestic Registry, 50-State</b>	0

#### Engine & Equipment

<b>PACCAR PX-9 300 2017 300@2000 285@2200 860@1300</b>	555
Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	
N09200 N205 120...Standard Maximum Speed Limit [LSL]	
N09220 N207 0....Expiration Distance	
N09240 P09 120...Hard Maximum Speed Limit	
N09260 P14 75...Maximum Accelerator Pedal Vehicle Speed	
N09280 P16 0....Accelerator Lower Droop	
N09300 P19 75...Maximum Cruise Speed	
N09320 C143 0....Cruise Control Lower Droop	
N09360 N203 252...Reserve Speed Function Reset Distance	
N09380 N202 0....Maximum Cycle Distance	
N09400 N206 10...Maximum Active Distance	
N09420 N201 0....Reserve Speed Limit Offset	

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 1/29/2018 12:35:57 PM  
Effective Date: Jan 1, 2018  
Prepared by: ID: craigstollings

Incomplete

Model Number: T370 SERIES CONVENTIONAL  
Quote/DTPO/CO: Q63532423  
Version Number: 41.10



Description		Weight
N09440 P11	YES..Engine Protection Shutdown	
N09460 P06	YES..Gear Down Protection	
N09480 P26	1400.Max PTO Speed	
N09500 P02	YES..Cruise Control Auto Resume	
N09520 P04	YES..Auto Engine Brake in Cruise	
N09540 N209	0....Expiration Distance	
N09560 P520	YES..Enable Idle Shutdown Park Brake Set	
N09580 P32	5....Timer Setting	
N09600 P233	YES..Enable Impending Shutdown Warning	
N09620 P234	60...Timer For Impending Shutdown Warning	
N09640 P516	35...Engine Load Threshold	
N09680 P33	NO...Idle Shutdown Manual Override	
N09720 P230	YES..Enable Hot Ambient Automatic Override	
N09740 P46	40...Low Ambient Temperature Threshold	
N09760 P56	60...Intermediate Ambient Temperature Threshold	
N09780 P47	80...High Ambient Temperature Threshold	
<b>Prospector version 39.0</b>		0
Replaces version 38.2		
<b>Effective VSL Setting NA</b>		0
<b>Engine Idle Shutdown Timer Disabled</b>		0
<b>Enable EIST Ambient Temp Override</b>		0
<b>Eff EIST NA Expiration Miles</b>		0
Use only with MX and Cummins engines		
<b>Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.</b>		0
<b>Air Cleaner: Dry-type firewall mounted w/filter restriction indicator.</b>		0
<b>Fan Hub: Horton On/Off for PX-9 or ISLG</b>		0
<b>Cooling module: 1000 square inches</b>		0
T170/T270/T370/T470. Includes metal surge tank on T170/T270/T370.		
<b>Exhaust:2017 EPA RH Under Cab DPF/SCR For PX-9 w/ Single Vertical RH Side of Cab Tailpipe.</b>		215
<b>Tailpipe: 5 in. single 24 in. 45 degree curved.</b>		-2
<b>Fuel Filter:Fleetguard FS1003</b>		0
Fuel/Water Separator for PX-9		
<b>Run Aid:None</b>		0
*For Fuel Filter		
<b>Start Aid:None</b>		0
*For Fuel Filter		
<b>Block heater, PACCAR 1750 watt 120V for PX-6 and PX-7, 1000 watt for PX-8 and PX-9 or ISL9 engines .</b>		2
<b>Alternator: PACCAR 160 amp, brush type</b>		0
<b>Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.</b>		0

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	1/29/2018 12:35:57 PM	<b>Incomplete</b>	Model Number:	T370 SERIES CONVENTIONAL
Effective Date:	Jan 1, 2018		Quote/DTPO/CO:	Q63532423
Prepared by:	ID: craigstollings		Version Number:	41.10





Description	Weight
<b>Starter: PACCAR 12 volt electrical system. W/</b> centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	0
<b>Multi-function engine connector for body builder</b> interface for Cummins.	0
<b>Body Builder Control Harness coiled EOF for</b> customer installed remote throttle and remote PTO controls. Harness includes Remote PTO control and Remote Throttle controls. T680/T880 models do not require 12-way engine connector sales codes. All other models require (1900082 or 1900084).	2
<b>Transmission &amp; Clutch</b>	
<b>Transmission: Allison 3500RDS 6-speed</b> w/PTO drive gear. 5th Gen Controls. Limited to 860 lb.-ft. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	291
<b>Driveline: 2 Dana standard-duty; 1 centerbearing.</b> *Standard duty is 1710 series.	77
<b>Torque converter included w/Allison</b> Transmission.	0
<b>Delete Allison FuelSense</b>	0
<b>J1939 Park Brake Auto Neutral</b>	0
<b>Rear transmission support springs for</b> transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	0
<b>Front Axle &amp; Equipment</b>	
<b>Meritor MFS12E PLUS 12.5K rated at 12K 3.5in.</b> drop standard track.	0
<b>Front brakes included w/ front hub package.</b>	0
<b>Drum Brake Knuckle for use on Meritor MFS PLUS</b> Steer Axle	0
<b>Air Brake: 14,600 lb. package includes</b> Bendix 16-1/2 x5 brakes, cast drums, aluminum 10-bolt hub pilot LMS hubs, hubcaps, oil seals & automatic slack adjusters. For use w/ 22-1/2in. wheels.	0
<b>Front Springs: Taperleaf 12K w/ shock absorber</b> for use on 2010+ chassis w/ 22.5in. wheels only.	0
<b>Single power steering gear: 13.2K for air brakes.</b>	0
<b>Rear Axle &amp; Equipment</b>	
<b>Single Meritor R23-160 rear axle rated at 23K.</b>	184
<b>Rear Axle Ratio - 5.38.</b>	0

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 1/29/2018 12:35:57 PM  
Effective Date: Jan 1, 2018  
Prepared by: ID: craigstollings

**Incomplete**

Model Number: T370 SERIES CONVENTIONAL  
Quote/DTPO/CO: Q63532423  
Version Number: 41.10



Description	Weight
<b>Single rear brakes included w/rear hub package.</b>	0
<b>23K air brake package includes 16-1/2x7 in.</b> brakes, cast drums, aluminum 10-bolt hub pilot LMS hubs, automatic slack adjusters and oil seals for use w/ 22.5 in. wheels.	0
<b>Spring Brake: 3030 high output single.</b>	0
<b>Bendix 4S/4M anti-lock brake system.</b>	0
<b>Meritor driver controlled differential lock for</b> single rear axle.	0
<b>Rear suspension: single Reyco 79KB multileaf 26K</b> with helper spring. Medium duty. Unladen Height: 10.8 in. Laden Height: 8.1 in. Not rear air disc brake compatible.	119

#### Tires & Wheels

<b>Front tires: Bridgestone R250ED 11R22.5 16PR.</b> 41.4 in. diameter, all position. Side wall protector bar. 19.3 in. SLR.	-4
<b>Rear Tires: Bridgestone M710 Ecopia 11R22.5 14PR.</b> 41.8 in. diameter, drive. 19.5 in. SLR. Smartway certified. Code is priced per pair of tires.	12
<b>Rear Tire Quantity: 4</b>	0
<b>Front Wheel: Accuride 51487 22.5x8.25 steel</b> Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	0
<b>Rear Wheel: Accuride 51487 22.5x8.25 steel</b> Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	0
<b>Powder coat white steel wheel. Use in conjunction</b> with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	0
<b>Rear Wheel/Rim Quantity: 4</b>	0

#### Frame & Equipment

<b>Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to</b> 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in.-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	172
<b>Bumper: Aerodynamic, Painted. Requires a</b> bumper setting code.	0
<b>40.9 in. Bumper setting. Requires a bumper code.</b>	0
<b>Removable Front Tow Hooks: 2.</b>	15
<b>Front mudflaps.</b>	0

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	1/29/2018 12:35:57 PM	<b>Incomplete</b>	Model Number:	T370 SERIES CONVENTIONAL
Effective Date:	Jan 1, 2018		Quote/DTPO/CO:	Q63532423
Prepared by:	ID: craigstollings		Version Number:	41.10



Description	Weight
Battery box cantilever aluminum BOC w/ fiberglass cover.	0
Battery box location: RH Side.	15
T270/370 Non-polished 2010 or later DPF/SCR cover with cab access step assembly, RH under. End plates will be painted standard black frame color.	0
Welded Steel Crossmembers: Center and Rear Frame. Standard crossmember.	0
Square end-of-frame w/o crossmember; non-towing.	0
<b>Fuel Tanks &amp; Equip</b>	
Fuel Tank: 56 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	-19
Small round DEF tank. 11 gallons of useable volume. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	0
Standard DEF to fuel fill ratio: 2:1 or greater.	0
DEF tank location is on the LH.	0
Location: 56 gal fuel tank LH under cab	0
<b>Cab &amp; Equipment</b>	
Cab: Curved Glass Conventional. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn standard. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection, short and open check diagnostics. Warning alarm will sound when lights are left on.	0
Hood: Sloped aerodynamic hood includes grill & separate bumper.	0
Cab heater: W/integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T680 include filter media.	0
Adjustable telescoping tilt steering column.	10
Two spare switches: Wired to power.	0

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	1/29/2018 12:35:57 PM	Incomplete	Model Number:	T370 SERIES CONVENTIONAL
Effective Date:	Jan 1, 2018		Quote/DTPO/CO:	Q63532423
Prepared by:	ID: craigstollings		Version Number:	41.10





Description	Weight
<b>Instrument package: Includes speedometer,</b> tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010+ engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	0
<b>Cab interior: Pinnacle. Includes vinyl headliner</b> & cab back panel, slate gray interior, dark slate gray seats, floormats, LH/RH inside sunvisor & door courtesy lights.	0
<b>Driver Seat: Kenworth Air Cushion Plus IB Cloth</b> Standard features include 7 in. fore and aft slide adjustment with isolator, 6 to 23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide with 2 position tilt and 2 position front cushion extension. Seat material has a horizontal stitch pattern and is 2 tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3 point matching seat belts. Grey seat belts.	0
<b>Rider Seat: Kenworth Toolbox Plus IB cloth.</b> Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	0
<b>Kenworth Radio with AM/FM/WB/USB and Bluetooth</b>	4
<b>Under-dash center console: W/2 cup holders, 1</b> ashtray, 1 lighter, 1 12V outlet & a storage compartment.	0
<b>Self cancelling turn signal: W/head light dimmer</b> switch.	0
<b>Cab access contoured grabhandles, LH/RH.</b>	0
<b>Grabhandle: LH inside door frame above dash.</b>	0
<b>Grabhandle: RH inside door frame above dash.</b>	2
<b>Daylite Door: LH/RH includes RH peeper window</b>	0
<b>Single Rectangular Air Horn 23 in. LH Top of Roof</b> Includes Air Horn Cover.	6
<b>Dual convex mirrors 7-1/2 in. w/ offset mounting,</b> and non-heated.	0
<b>Look-Down, Pass. Door, Stainless 8.5x4.4</b>	0
<b>Mirror: Dual Prutsmann mirror 7 in. x 16 in.</b> polished stainless steel, thermostatically controlled. switch located on door pad.	0
<b>Mirror brackets 8-1/2 ft load width.</b>	0
<b>Rear Cab Stationary Window 17 in. x 36 in.</b>	0
<b>Manual LH &amp; electric-powered RH door window.</b> Switch located on door.	0

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	1/29/2018 12:35:57 PM	Incomplete	Model Number:	T370 SERIES CONVENTIONAL
Effective Date:	Jan 1, 2018		Quote/DTPO/CO:	Q63532423
Prepared by:	ID: craigstollings		Version Number:	41.10



	Description	Weight
<b>Lights &amp; Instruments</b>	<b>Headlamps: Halogen Projector Low Beam, Halogen</b> Complex Reflector High Beam	0
	<b>Marker Lights: with small round base,</b> Five cab roof mounted.	0
	<b>Turn Signal Lights: Mounted on fender</b>	0
	<b>Combination Stop, Tail, Turn &amp; Backup Lights RH</b> & LH.	0
	<b>Circuit Brakers: Replacing fuses. Does not</b> apply to any 5-amp fuse box position. Brakers include stop/brake/turn, tail lamp, high & low beams, marker/clearance lamps, horn, fuel heat, gauges, air dryer, HVAC controls, panel lamps. Some circuits will remain fuses.	0
<b>Air Equipment</b>	<b>Air Dryer Bendix AD-IS heated Puraguard</b>	0
	<b>Full truck kit: Gladhands mounted at end-of-</b> frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	15
	<b>Trailer ABS electric supply through SAE J560</b> 7-pin connector per TMC RP137).	0
<b>Extended Warranty</b>	<b>Base Warranty - PACCAR PX-9 Engine</b> 24 months / 250,000 miles / 402,336 km / 6250 hours.	0
	<b>Base Warranty - Standard Service Medium Duty</b> 12 months / Unlimited miles & km	0
<b>Miscellaneous</b>	<b>Ship to Dealer.</b>	0
	<b>GHG Secondary Manufacturer: Does Not Apply</b>	0
	<b>Additional lead time required for off highway &amp;</b> /or specialty component truck.	0
<b>Paint</b>	<b>Paint color number.</b>	0
	N97020 A - L0006 WHITE	
	N97200 FRAME N0001 BLACK	
	N97700 BUMPER L0006 WHITE	
	<b>Bumper Painted Color A</b>	0
	<b>Day Cab Standard Paint</b>	0
	<b>1 - Color Paint - Day Cab</b> Color will be White if no other color is specified.	0

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	1/29/2018 12:35:57 PM	<b>Incomplete</b>	Model Number:	T370 SERIES CONVENTIONAL
Effective Date:	Jan 1, 2018		Quote/DTPO/CO:	Q63532423
Prepared by:	ID: craigstollings		Version Number:	41.10



Description	Weight
<b>Base coat/clear coat.</b> The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0

Total Weight 11313 lb

**Prices and Specifications Subject to Change Without Notice.**

Unpublished options may require review/approval. Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.			
Printed:	1/29/2018 12:35:57 PM	<b>Incomplete</b>	Model Number: T370 SERIES CONVENTIONAL
Effective Date:	Jan 1, 2018		Quote/DTPO/CO: Q63532423
Prepared by:	ID: craigstollings		Version Number: 41.10





Worldwide Equipment B325  
Craig Stollings Municipal  
18285 Lee Highway

Spotsylvania County Utility  
600 Hudgins Rd.

Abingdon, Virginia United States 24210  
Phone: (276) 628-8103  
Fax: (276) 628-5863  
Email: craig.stollings@thetruckpeople.com

Fredericksburg, Virginia United States 22408  
Phone: (540) 507-7322  
Fax:  
Contact Email: racors@spotsylvania.va.us  
Prepared for: Roddie Acors

## Customer Quote

<b>NET Sale Price:</b>		<u>\$83,961</u>
<b>Miscellaneous</b>		
FET Tire Credit:	\$0	
Net Chassis FET:		\$0
State Tax:		\$0
Body/Trailer/Accessories FET:		\$0
Fees:		\$0
Other:		\$0
<b>Quotation Total:</b>		<u>\$83,961</u>

Unpublished options may require review/approval.  
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 2/1/2018 3:42:35 PM  
Effective Date: Jan 1, 2018  
Prepared by: ID: craigstollings

**Complete**

Model Number: T370 SERIES CONVENTIONAL  
Quote/DTPO/CO: Q13732298  
Version Number: 41.11